

**KOMATSU**



[WWW.KOMATSUFORKLIFT.NET](http://WWW.KOMATSUFORKLIFT.NET)

# Productrange

|                        |  |  |  |  |  |     |
|------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|
| Model                  |                                                                                   | Diesel                                                                            | LPG                                                                                 |                                                                                     | 48V                                                                                 | 80V |
| <b>AM-2R</b>           | 1.2 - 2.0                                                                         |                                                                                   |                                                                                     | 3                                                                                   | x                                                                                   |     |
| <b>AE-2R</b>           | 1.5 - 2.0                                                                         |                                                                                   |                                                                                     | 4                                                                                   | x                                                                                   |     |
| <b>BE-3R</b>           | 2.2 - 3.0                                                                         |                                                                                   |                                                                                     | 4                                                                                   |                                                                                     | x   |
| <b>AX50</b>            | 1.5 - 1.8                                                                         | x                                                                                 | x                                                                                   |                                                                                     |                                                                                     |     |
| <b>BX50</b>            | 2.0 - 3.5                                                                         | x                                                                                 | x                                                                                   |                                                                                     |                                                                                     |     |
| <b>BX50 109 series</b> | 2.0 - 3.0                                                                         | x                                                                                 | x                                                                                   |                                                                                     |                                                                                     |     |
| <b>CX</b>              | 3.5 - 5.0                                                                         | x                                                                                 | x                                                                                   |                                                                                     |                                                                                     |     |
| <b>DX20</b>            | 5.0 - 8.0                                                                         | x                                                                                 | x                                                                                   |                                                                                     |                                                                                     |     |
| <b>EX20</b>            | 10.0 - 16.0                                                                       | x                                                                                 |                                                                                     |                                                                                     |                                                                                     |     |

|                   |  |  |  |  |  |  |  |  |
|-------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>MWP-1R</b>     | 1.8 - 3.0                                                                         | x                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| <b>MWPF(S)-1R</b> | 2.0 - 3.0                                                                         | x                                                                                  | x                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| <b>MWS(W)-1R</b>  | 1.0 - 2.0                                                                         |                                                                                    |                                                                                     | x                                                                                   |                                                                                     |                                                                                     |                                                                                     | 5.390                                                                               |
| <b>MWSA-1R</b>    | 1.4 - 2.0                                                                         |                                                                                    |                                                                                     |                                                                                     | x                                                                                   |                                                                                     |                                                                                     | 5.390                                                                               |
| <b>MWSF-1R</b>    | 1.4 - 2.0                                                                         |                                                                                    | x                                                                                   | x                                                                                   |                                                                                     |                                                                                     |                                                                                     | 5.390                                                                               |
| <b>MWSFA-1R</b>   | 1.4 - 2.0                                                                         |                                                                                    | x                                                                                   |                                                                                     | x                                                                                   |                                                                                     |                                                                                     | 5.390                                                                               |
| <b>MWG-3R</b>     | 0.7 - 2.0                                                                         | x                                                                                  |                                                                                     | (x)                                                                                 |                                                                                     | x                                                                                   |                                                                                     |                                                                                     |
| <b>AR-2R</b>      | 1.2 - 2.5                                                                         |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     | x                                                                                   | 11.525                                                                              |

| Model            | Kg<br>500 mm | Wa<br>mm | Volt/Ah    | h <sub>a</sub><br>mm |
|------------------|--------------|----------|------------|----------------------|
| <b>FB12M-2R</b>  | 1.200        | 1.361    | 48/315-375 | 6.970                |
| <b>FB15M-2R</b>  | 1.500        | 1.469    | 48/420-500 |                      |
| <b>FB15MG-2R</b> |              |          | 48/620-640 |                      |
| <b>FB18M-2R</b>  | 1.800        | 1.577    | 48/575-625 | 6.865                |
| <b>FB20M-2R</b>  | 2.000        | 1.722    | 48/750     |                      |

Electric **counterbalanced trucks**  
 Elektrische **Gegengewichtsstapler**  
 Chariots élévateurs **électriques**  
 Controbilanciati **elettrici**

Vorkheftrucks met **elektromotor**  
 Caretilas **contrapesadas eléctricas**  
 Empilhadores **contrabalançados elétricos**  
 Ellensúlyos elektromos **motoros targoncák**



## AM-2R

FB12M-2R  
 FB15M-2R  
 FB15MG-2R  
 FB18M-2R  
 FB20M-2R



| Model            | Kg<br>500 mm | Wa<br>mm | Volt/Ah    | h <sub>a</sub><br>mm |
|------------------|--------------|----------|------------|----------------------|
| <b>FB 15-2R</b>  | 1.500        | 1.760    | 48/420-500 | 6.970                |
| <b>FB 15G-2R</b> |              |          | 48/620-640 |                      |
| <b>FB 18-2R</b>  | 1.800        | 1.878    | 48/575-625 | 6.865                |
| <b>FB 20-2R</b>  | 2.000        | 1.998    | 48/750     |                      |

Electric **counterbalanced trucks**  
 Elektrische **Gegengewichtsstapler**  
 Chariots élévateurs **électriques**  
 Controbilanciati **elettrici**

Heftrucks **met elektromotor**  
 Caretilas **contrapesadas eléctricas**  
 Empilhadores **contrabalançados elétricos**  
 Ellensúlyos elektromos **motoros targoncák**



## AE-2R

FB 15-2R  
 FB 15G-2R  
 FB 18-2R  
 FB 20-2R



| Model     | Kg<br>500 mm | Wa<br>mm | Volt/Ah    | h <sub>3</sub><br>mm |
|-----------|--------------|----------|------------|----------------------|
| FB22H-3R  | 2.200        | 1.886    | 80/560-620 | 6.960                |
| FB25H-3R  | 2.500        |          |            |                      |
| FB25HG-3R |              | 2.030    | 80/625-775 |                      |
| FB30H-3R  | 3.000        |          |            |                      |



## BE-3R

FB22H-3R  
FB25H-3R  
FB25HG-3R  
FB30H-3R



Electric **counterbalanced trucks**  
Elektrische **Gegengewichtsstapler**  
Chariots élévateurs **électriques**  
Controbilanciati **elettrici**

Heftrucks **met elektromotor**  
Caretillas **contrapesadas eléctricas**  
Empilhadores **contrabalançados elétricos**  
Ellensúlyos elektromos **motoros targoncák**

| Model             |        | Kg<br>500 mm | Wa<br>mm | Motor | cyl/cm³   | kW | Nm  |
|-------------------|--------|--------------|----------|-------|-----------|----|-----|
| <b>FD15T-20R</b>  | Diesel | 1.500        | 1.955    | 4D92E | 4 / 2.659 | 35 | 142 |
| <b>FD18T-20R</b>  |        | 1.750        | 1.990    |       |           |    |     |
| <b>FG15HT-20R</b> | LPG    | 1.500        | 1.955    | K 21  | 4 / 2.065 | 35 | 152 |
| <b>FG18HT-20R</b> |        | 1.750        | 1.990    |       |           |    |     |

Diesel and LPG Forklift **Trucks**  
 Gabelstapler **Diesel und LPG**  
 Chariots élévateurs **Diesel et GPL**  
 Carrelli Elevatori **Diesel e GPL**

Diesel en LPG **vorkheftrucks**  
 Carretillas Elevadoras **Diesel y GLP**  
 Empilhadores a **Diesel e LPG**  
 Dízel és LPG **targoncák**



## AX50

Diesel

LPG

FD15T-20R  
FD18T-20R

FG15HT-20R  
FG18HT-20R



diesel&lpg trucks

| Model             |        | Kg<br>500 mm | Wa<br>mm | Motor  | cyl/cm³   | kW | Nm  |
|-------------------|--------|--------------|----------|--------|-----------|----|-----|
| <b>FD20T-16R</b>  | Diesel | 2.000        | 2.190    | 4D94LE | 4 / 3.052 | 46 | 186 |
| <b>FD25T-16R</b>  |        | 2.500        | 2.240    |        |           |    |     |
| <b>FD30T-16R</b>  |        | 3.000        | 2.370    |        |           |    |     |
| <b>FD35AT-16R</b> |        | 3.500        | 2.480    | 4D98E  | 4 / 3.318 | 53 | 216 |
| <b>FG20HT-16R</b> | LPG    | 2.000        | 2.190    | K25    | 4 / 2.488 | 43 | 186 |
| <b>FG25HT-16R</b> |        | 2.500        | 2.240    |        |           |    |     |
| <b>FG30T-16R</b>  |        | 3.000        | 2.370    |        |           |    |     |
| <b>FG35AT-16R</b> |        | 3.500        | 2.480    |        |           |    |     |

Diesel and LPG Forklift **Trucks**  
 Gabelstapler **Diesel und LPG**  
 Chariots élévateurs **Diesel et GPL**  
 Carrelli Elevatori **Diesel e GPL**

Diesel en LPG **vorkheftrucks**  
 Carretillas Elevadoras **Diesel y GLP**  
 Empilhadores a **Diesel e LPG**  
 Dízel és LPG **targoncák**

## BX50 Standard

Diesel LPG

FD20T-16R FG20HT-16R  
 FD25T-16R FG25HT-16R  
 FD30T-16R FG30T-16R  
 FD35AT-16R FG35AT-16R



diesel & lpg trucks

| Model            |        | Kg<br>500 mm | Wa<br>mm | Motor  | cyl/cm³   | kW | Nm  |
|------------------|--------|--------------|----------|--------|-----------|----|-----|
| <b>FD20NT-16</b> | Diesel | 2.000        | 1.980    | 4D94LE | 4 / 3.052 | 43 | 186 |
| <b>FD25NT-16</b> |        | 2.500        | 2.050    |        |           |    |     |
| <b>FD30NT-16</b> |        | 3.000        | 2.110    |        |           |    |     |
| <b>FG20NT-16</b> | LPG    | 2.000        | 1.980    | K21    | 4 / 2.065 | 35 | 152 |
| <b>FG25NT-16</b> |        | 2.500        | 2.050    |        |           |    |     |
| <b>FG30NT-16</b> |        | 3.000        | 2.110    | K25    | 4 / 2.488 | 43 | 186 |

Diesel and LPG Forklift **Trucks**  
 Gabelstapler **Diesel und LPG**  
 Chariots élévateurs **Diesel et GPL**  
 Carrelli Elevatori **Diesel e GPL**

Diesel en LPG **vorkheftrucks**  
 Carretillas Elevadoras **Diesel y GLP**  
 Empilhadores a **Diesel e LPG**  
 Dízel és LPG **targoncák**



## BX50 Compact 109 Series

Diesel LPG

FD20NT-16 FG20NT-16  
 FD25NT-16 FG25NT-16  
 FD30NT-16 FG30NT-16



| Model           |        | ton     | Wa<br>mm | Motor   | cyl/cm³   | kW | Nm  |
|-----------------|--------|---------|----------|---------|-----------|----|-----|
| <b>FD35T-8</b>  | Diesel | 3.5@600 | 2.730    | S6D102E | 6 / 5.880 | 70 | 372 |
| <b>FD35ZT-8</b> |        | 3.5@500 | 2.530    |         |           |    |     |
| <b>FD40T-8</b>  |        | 4.0@600 | 2.770    |         |           |    |     |
| <b>FD40ZT-8</b> |        | 4.0@500 | 2.580    |         |           |    |     |
| <b>FD45T-8</b>  |        | 4.5@600 | 2.820    |         |           |    |     |
| <b>FD50AT-8</b> |        | 5.0@500 | 3.050    |         |           |    |     |
| <b>FG35T-7</b>  | LPG    | 3.5@600 | 2.730    | TB42    | 6 / 4.169 | 63 | 275 |
| <b>FG35ZT-7</b> |        | 3.5@500 | 2.530    |         |           |    |     |
| <b>FG40T-7</b>  |        | 4.0@600 | 2.770    |         |           |    |     |
| <b>FG40ZT-7</b> |        | 4.0@500 | 2.580    |         |           |    |     |
| <b>FG45T-7</b>  |        | 4.5@600 | 2.820    |         |           |    |     |
| <b>FG50AT-7</b> |        | 5.0@500 | 2.850    |         |           |    |     |

Diesel and LPG Forklift **Trucks**  
 Gabelstapler **Diesel und LPG**  
 Chariots élévateurs **Diesel et GPL**  
 Carrelli Elevatori **Diesel e GPL**

Diesel en LPG **vorkheftrucks**  
 Carretillas Elevadoras **Diesel y GLP**  
 Empilhadores a **Diesel e LPG**  
 Dízel és LPG **targoncák**



## CX

Diesel

LPG

FD35T-8  
 FD35ZT-8  
 FD40T-8  
 FD40ZT-8  
 FD45T-8  
 FD50AT-8

FG35T-7  
 FG35ZT-7  
 FG40T-7  
 FG40ZT-7  
 FG45T-7  
 FG50AT-7



| Model          | 600 mm | Kg<br>mm | Wa    | Motor    | cyl/cm³   | kW | Nm  |
|----------------|--------|----------|-------|----------|-----------|----|-----|
| <b>FD50T-8</b> | Diesel | 5.000    | 3.250 | S6D102E  | 6 / 5.880 | 77 | 392 |
| <b>FD60T-8</b> |        | 6.000    | 3.250 |          |           |    |     |
| <b>FD70T-8</b> |        | 7.000    | 3.350 |          |           |    |     |
| <b>FD80T-8</b> |        | 8.000    | 3.600 | SA6D102E |           | 96 | 431 |
| <b>FG50T-7</b> | LPG    | 5.000    | 3.250 | TB42     | 6 / 4.169 | 66 | 275 |
| <b>FG60T-7</b> |        | 6.000    | 3.250 |          |           |    |     |
| <b>FG70T-7</b> |        | 7.000    | 3.350 |          |           |    |     |
| <b>FG80T-7</b> |        | 8.000    | 3.600 |          |           |    |     |

Diesel and LPG Forklift **Trucks**  
 Gabelstapler **Diesel und LPG**  
 Chariots élévateurs **Diesel et GPL**  
 Carrelli Elevatori **Diesel e GPL**

Diesel en LPG **vorkheftrucks**  
 Carretillas Elevadoras **Diesel y GLP**  
 Empilhadores a **Diesel e LPG**  
 Dízel és LPG **targoncák**



## DX20

Diesel

LPG

FD50T-8  
 FD60T-8  
 FD70T-8  
 FD80T-8

FG50T-7  
 FG60T-7  
 FG70T-7  
 FG80T-7



| Model            |        | Kg<br>600 mm | Wa<br>mm | Motor | cyl/cm <sup>3</sup> | kW  | Nm  |
|------------------|--------|--------------|----------|-------|---------------------|-----|-----|
| <b>FD100T-7</b>  | Diesel | 10.000       | 4.000    | 6BG1T | 6 / 6.494           | 119 | 540 |
| <b>FD115T-7</b>  |        | 11.500       | 4.000    |       |                     |     |     |
| <b>FD135T-7</b>  |        | 13.500       | 4.300    |       |                     |     |     |
| <b>FD150ET-7</b> |        | 15.000       | 4.350    |       |                     |     |     |
| <b>FD160ET-7</b> |        | 16.000       | 4.500    |       |                     |     |     |

Diesel and LPG Forklift **Trucks**  
 Gabelstapler **Diesel und LPG**  
 Chariots élévateurs **Diesel et GPL**  
 Carrelli Elevatori **Diesel e GPL**

Diesel en LPG **vorkheftrucks**  
 Carretillas Elevadoras **Diesel y GLP**  
 Empilhadores a **Diesel e LPG**  
 Dízel és LPG **targoncák**



## EX20

Diesel

FD100T-7  
 FD115T-7  
 FD135T-7  
 FD150ET-7  
 FD160ET-7



| Model           | Kg<br>600 mm | Wa<br>mm      | Volt/Ah    | b <sub>1</sub><br>mm |
|-----------------|--------------|---------------|------------|----------------------|
| <b>MWP18-1R</b> | 1.800        | 1.464 - 1.531 | 24/110-250 | 710                  |
| <b>MWP20-1R</b> | 2.000        | 1.531         | 24/160-250 |                      |
| <b>MWP22-1R</b> | 2.200        | 1.584 - 1.656 | 24/220-375 |                      |
| <b>MWP30-1R</b> | 3.000        | 1.584 - 1.656 | 24/330-375 |                      |



## MWP-1R

MWP18-1R  
MWP20-1R

MWP22-1R  
MWP30-1R



Pallet **Trucks**  
Niederhub**wagen**  
Trans**palettes**  
Trans**pallet**

Pallet**trucks**  
Trans**paletas**  
Transportadores **de paletes**  
Raklapszállító **targoncák**

# warehouse trucks

| Model             | Kg<br>600 mm | km/h    | Volt/Ah    | b <sub>1</sub><br>mm |
|-------------------|--------------|---------|------------|----------------------|
| <b>MWP20FS-1R</b> | 2.000        | 6 - 7,5 | 24/220-375 | 710                  |
| <b>MWP20F-1R</b>  | 2.000        | 10,5    | 24/220-250 |                      |
| <b>MWP30F-1R</b>  | 3.000        | 10,5    | 24/220-375 |                      |



## MWPF-1R

MWP20FS-1R

MWP20F-1R

MWP30F-1R

HYDRAUTRONICS



Pallet **Trucks**  
Niederhub**wagen**  
Trans**palettes**  
Trans**pallet**

Pallet**trucks**  
Trans**paletas**  
Transportadores **de paletes**  
Raklapszállító **targoncák**

# warehouse trucks

| Model    | Kg<br>600 mm | Volt/Ah    | b <sub>1</sub><br>mm | h <sub>3</sub><br>mm |
|----------|--------------|------------|----------------------|----------------------|
| MWS10-1R | 1.050        | 24/140-300 | 790                  | 4.305                |
| MWS12-1R | 1.200        |            |                      |                      |



## MWS-1R

MWS10-1R  
MWS12-1R



Pallet **Stackers**  
Hochhub**wagen**  
Gerbeurs  
Stoccatori

Apiladores  
Stapelaars  
Empilhadores  
Raklapemel **targoncák**

| Model     | Kg<br>600 mm | Volt/Ah    | b <sub>1</sub><br>mm | h <sub>5</sub><br>mm | h <sub>3</sub><br>mm |
|-----------|--------------|------------|----------------------|----------------------|----------------------|
| MWS14-1R  | 1.400        | 24/240-375 | 860                  |                      | 5.390                |
| MWS14A-1R |              |            |                      | 135                  |                      |
| MWS20-1R  | 2.000        | 24/330-375 |                      |                      | 4.380                |
| MWS20A-1R |              |            |                      | 135                  |                      |



## MWS(A)-1R

MWS14-1R  
MWS20-1R

MWS14A-1R  
MWS20A-1R



Pallet **Stackers**  
Hochhubwagen  
Gerbeurs  
Stoccatori

Apiladores  
Stapelaars  
Empilhadores  
Raklapemel **targoncák**

| Model            | Kg<br>600 mm | Volt/Ah    | b <sub>1</sub><br>mm | h <sub>3</sub><br>mm |
|------------------|--------------|------------|----------------------|----------------------|
| <b>MWS14W-1R</b> | 1.400        | 24/240-375 | 1.107/1.307/1.507    | 5.390                |
| <b>MWS20W-1R</b> | 2.000        | 24/330-375 |                      | 4.380                |



## MWS-1R

MWS14W-1R  
MWS20W-1R



Pallet **Stackers**  
Hochhubwagen  
Gerbeurs  
Stoccatori

Apiladores  
Stapelaars  
Empilhadores  
Raklapemel **targoncák**

| Model             | Kg<br>600 mm | Volt/Ah    | b <sub>1</sub><br>mm | h <sub>5</sub><br>mm | h <sub>3</sub><br>mm |
|-------------------|--------------|------------|----------------------|----------------------|----------------------|
| <b>MWS14F-1R</b>  | 1.400        | 24/240-375 | 860                  | -                    | 5.390                |
| <b>MWS14FA-1R</b> |              | 24/330-375 |                      | 135                  |                      |
| <b>MWS20F-1R</b>  | 2.000        | 24/330-375 |                      | -                    | 4.380                |
| <b>MWS20FA-1R</b> |              | 24/330-375 |                      | 135                  |                      |



## MWSF(A)-1R

MWS14F-1R    MWS14FA-1R  
MWS20F-1R    MWS20FA-1R



Pallet **Stackers**  
Hochhubwagen  
Gerbeurs  
Stoccatori

Apiladores  
Stapelaars  
Empilhadores  
Raklapemel **targoncák**

| Model    | Kg<br>600 mm | b <sub>1</sub><br>mm | h <sub>12</sub><br>mm | h <sub>3</sub><br>mm | h <sub>5</sub><br>mm |
|----------|--------------|----------------------|-----------------------|----------------------|----------------------|
| MWG07-3R | 700          | 805                  | -/900                 |                      | 840                  |
| MWG10-3R | 1.000        |                      | -/900                 | 840                  |                      |
| MWG20-3R | 2.000        |                      | -/900                 | 135                  |                      |



## MWG-3R

MWG07-3R    MWG10-3R    MWG20-3R



e-ABS



Order **Pickers**  
Lagertechnik  
Préparateur de **commandes**  
Commissionatori

Orderverzamel**trucks**  
Preparadores de **pedidos**  
Carregadores  
Komissiozó **targoncák**

# warehousetrucks

| Model            | Kg<br>600 mm | Wa<br>mm | Volt/Ah    | b <sub>1</sub><br>mm | h <sub>a</sub><br>mm |
|------------------|--------------|----------|------------|----------------------|----------------------|
| <b>FB12RJ-2R</b> | 1.200        | 1.633    | 48/360-620 | 1.250                | 6.590                |
| <b>FB14RJ-2R</b> | 1.400        | 1.633    | 48/360-800 |                      | 9.625                |
| <b>FB16RJ-2R</b> | 1.600        | 1.702    | 48/360-800 |                      | 9.625                |
| <b>FB20RJ-2R</b> | 2.000        | 1.770    | 48/480-800 |                      | 11.525               |
| <b>FB25RJ-2R</b> | 2.500        | 1.954    | 48/600-800 |                      | 9.225                |

Reach **Trucks**  
Schubmast**stapler**  
Chariots à mât **rétractable**  
Retrattili

Reach**trucks**  
Retráctiles  
Retrácteis  
Tolóoszlopos **targoncák**



## AR-2R

FB12RJ-2R  
FB14RJ-2R  
FB16RJ-2R  
FB20RJ-2R  
FB25RJ-2R



# KOMATSU



## **KOMATSU FORKLIFT CO., LTD.**

Far East Asia, Middle East, Africa,  
Oceania & China  
2-3-4, Akasaka, Minatoku  
Tokyo, 107-8474, Japan  
[www.lift.co.jp](http://www.lift.co.jp)

## **KOMATSU DIVISION**

Europe, I-20020 Lainate (MI) - Italy  
V.le De Gasperi, 7  
[www.komatsuforklift.net](http://www.komatsuforklift.net)  
[info@komatsuforklift.net](mailto:info@komatsuforklift.net)


## **KOMATSU FORKLIFT U.S.A, Inc.**

North Central & South America  
Dept K, 14481 Lochridge Blvd. Covington,  
GA 30014  
[www.kfiusa.com](http://www.kfiusa.com)

## **KOMATSU FORKLIFT ASIA PTE**

South East Asia  
No.3, Gul Circle,  
Singapore 629632  
[www.lift.co.jp](http://www.lift.co.jp)

Part Number PKPR001NN  
Printed in Italy

The background of the advertisement features several overlapping technical blueprints or engineering drawings. These drawings include various mechanical components, structural frames, and circular diagrams with dimensions. The blueprints are rendered in a light blue, semi-transparent style against a solid light blue background. In the lower right corner, there is a small, stylized illustration of a yellow and green forklift.

**UP**

**LIFT**

**YOUR BUSINESS**